
# TC53/TC58 TC53e/TC58e TC53e-RFID Accessories Guide

Powering a new generation of data collection

Revised September 2025





| Coi  | ntents |  | <b>XIL. ZEBRA</b> |
|------|--------|--|-------------------|
|      |        | Accessories that POWER devices                               | ( 3 LLDIA         |
|      | 1      | Cradles for Devices WITH Rugged Boots                        |                   |
|      | 1.1    | Single-slot Cradles for Devices WITH Rugged Boots            | 3                 |
|      | 1.2    | Multi-slot Cradles for Devices WITH Rugged Boots             | 4                 |
|      | 1.3    | Cradle Cups and Shim for Devices WITH Rugged Boots           | 6                 |
|      | 2      | Cradles for Devices WITHOUT Rugged Boots                     |                   |
|      | 2.1    | Single-slot Cradles for Devices WITHOUT Rugged Boots         | 7                 |
|      | 2.2    | Multi-slot Cradles for Devices WITHOUT Rugged Boots          | 8                 |
|      | 2.3    | Cradle Cups and Shim for Devices WITHOUT Rugged Boots        | 10                |
|      | 3      | <u>USB to Ethernet Module</u>                                | 11                |
|      | 4      | Zebra Guardian Cabinets and Mounting                         |                   |
|      | 4.4    | Zebra's Guardian Cabinets Portfolio                          | 12                |
|      | 4.5    | Mounting options for chargers                                | 13                |
|      | 5      | Batteries  |                   |
|      | 5.1    | Spare Li-ion batteries with BLE Beacon                       | 13                |
|      | 5.2    | Spare Li-ion batteries                                       | 14                |
|      | 5.3    | Spare battery chargers                                       | 15                |
|      | 6      | Power supply, cables, and adapters                           |                   |
|      | 6.1    | Power supply and cable matrix                                | 16                |
|      | 6.2    | Country-specific AC line cords                               | 18                |
|      | 7      | Vehicle chargers and accessories                             | 20                |
| II.  |        | Accessories that ENABLE productivity solutions               |                   |
|      | 8      | <u>Vehicle holders and mounts</u>                            | 21                |
|      | 9      | Headsets   |                   |
|      | 9.1    | Wired headsets and accessories for Workcloud Sync            | 22                |
|      | 9.2    | Wired headsets and accessories for voice-directed picking    | 23                |
|      | 9.3    | Wireless headsets and accessories for voice-directed picking | 23                |
|      | 10     | Wearable mounts and other accessories                        |                   |
|      | 10.1   | Wrist mounts and comfort pad                                 | 24                |
|      | 10.2   | Wrist straps and arm sleeve                                  | 25                |
|      | 10.3   | Hand strap, stylus, and tether                               | 26                |
|      | 11     | Trigger handles  |                   |
|      | 11.1   | Electronic trigger handle and accessories                    | 27                |
|      | 12     | <u>Cables and adapters</u>                                   | 28                |
|      | 13     | Snap-On Tire Tread Reader                                    | 29                |
| III. |        | Accessories that PROTECT devices                             |                   |
|      | 14     | Soft holsters and rugged boots                               | 30                |
| _    | 15     | Screen protectors  | 31                |
| IV.  | •      | Workstation Connect Cradle                                   | 32                |
| V.   |        | Third Party Accessories for TC53/TC58/TC53e/TC58e/TC53       |                   |
|      | 16     | 3rd Party Accessories  | 33                |



#### Single-slot Cradles for Devices WITH Rugged Boots



### Single-slot charger kit SKU# CRD-NGTC5B-2SC1B

Single-slot charge-only ShareCradle kit. Charges a device WITH a rugged boot and its spare Li-ion battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and a pre-installed grey shim SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-2SC1B.



### Single-slot USB / Ethernet capable charger kit SKU# CRD-NGTC5B-2SE1B

Single-slot USB communication / Ethernet capable charger ShareCradle kit. Charges a single device WITH a rugged boot and its spare Li-ion battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and a pre-installed grey shim SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>), micro-USB cable SKU# <u>25-124330-01R</u> for USB connection, and USB to Ethernet module kit SKU# <u>MOD-MT2-EU1-01</u>.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-2SE1B.



#### Multi-slot Cradles for Devices WITH Rugged Boots

#### Five-slot charger

#### SKU# CRDON-NGTC5B-5SC5D

Charge-only ShareCradle to charge 5 devices WITH rugged boots.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 5 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SC5D.



### Five-slot charger kit SKU# CRD-NGTC5B-5SC5D

Charge-only ShareCradle kit to charge 5 devices WITH rugged boots.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 5 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SC5D.



#### Five-slot Ethernet charger SKU# CRDON-NGTC5B-5SE5D

5-slot charge / Ethernet ShareCradle. Charges 5 devices WITH rugged boots at network speeds of up to 1 Gbps.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 5 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (listed later in this document).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SE5D.



### Five-slot Ethernet charger kit SKU# CRD-NGTC5B-5SE5D

5-slot charge / Ethernet ShareCradle kit. Charges 5 devices WITH rugged boots at network speeds of up to 1 Gbps.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 5 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SE5D.



#### Multi-slot Cradles for Devices WITH Rugged Boots



#### Five-slot charger

#### SKU# CRDON-NGTC5B-5SC4B

Charge-only ShareCradle to charge 4 devices WITH rugged boots and its 4 spare Li-ion batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 4 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (<u>listed later in this</u> <u>document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SC4B.



### Five-slot charger kit SKU# CRD-NGTC5B-5SC4B

Charge-only ShareCradle kit to charge 4 devices WITH rugged boots and its 4 spare Li-ion batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 4 pre-installed grey shims SKU# SHIM-CRD-TC5-GRY.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SC4B.

#### NOTE:

- All TC53/TC58/TC53e/TC58e/TC53e-RFID 5-slot cradles can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01
- Spare cradle cups are available as service spare parts.



#### Cradle Cups for Devices WITH Rugged Boots



### Charge-only device cradle cup replacement kit SKU# CRDCUP-NGTC5B-01

One charge-only device cradle cup replacement kit for devices WITH rugged boots.

- Can be used to replace a TC5x series device cup on ShareCradle when upgrading to TC53 / TC58; TC53e / TC58e / TC53e-RFID.
- Includes: A pre-installed grey shim SKU# SHIM-CRD-TC5-GRY.
- Also available as a 5-pack 5 device cradle SKU# CRDCUP-NGTC5B-05.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDCUP-NGTC5-01 and CRDCUP-NGTC5-05.



### Charge and communication device cradle cup replacement kit SKU# CRDCUP-NGTC5EB-01

One charge and USB/Ethernet connection device cradle cup replacement kit for devices WITH rugged boots.

- Can be used to replace a TC5x series device cup on ShareCradle when upgrading to TC53 / TC58; TC53e / TC58e / TC53e-RFID.
- Includes: A pre-installed grey shim SKU# SHIM-CRD-TC5-GRY.
- Also available as a 5-pack 5 device cradle cups— SKU# CRDCUP-NGTC5EB-05.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDCUP-NGTC5ETH-01 and CRDCUP-NGTC5ETH-05.



### Device cradle cup inserts / shims replacement SKU# SHIM-CRD-TC5-GRY

One replacement grey insert / shims

- One grey shim for devices WITH rugged boots.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces SHIM-CRD-NGTC5.



#### Single-slot cradles for Devices WITHOUT Rugged Boots



### Single-slot charger kit SKU# CRD-NGTC5N-2SC1B

Single-slot charge-only ShareCradle kit. Charges a device WITHOUT a rugged boot and its spare Li-ion battery.

- Device with standard battery charges from 0-90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and a pre-installed black shim SKU# SHIM-CRD-TC5-BLK
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-2SC1B.



### Single-slot USB / Ethernet capable charger kit SKU# CRD-NGTC5N-2SE1B

Single-slot USB communication / Ethernet capable charger ShareCradle kit. Charges a single device WITHOUT a rugged boot and its spare Li-ion battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and a pre-installed black shim SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>), micro-USB cable SKU# 25-124330-01R for USB connection, and USB to Ethernet module kit SKU# MOD-MT2-EU1-01.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-2SE1B.



#### Multi-slot Cradles for Devices WITHOUT Rugged Boots

#### Five-slot charger

#### SKU# CRDON-NGTC5N-5SC5D

Charge-only ShareCradle to charge 5 devices WITHOUT rugged boots.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 5 pre-installed black shims SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SC5D.



#### Five-slot charger kit SKU# CRD-NGTC5N-5SC5D

Charge-only ShareCradle kit to charge 5 devices WITHOUT rugged boots.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 5 pre-installed black shims SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SC5D.



### Five-slot Ethernet charger SKU# CRDON-NGTC5N-5SE5D

5-slot charge / Ethernet ShareCradle. Charges 5 devices WITHOUT rugged boots at network speeds of up to 1 Gbps.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 5 pre-installed black shims SKU# SHIM-CRD-TC5-BLK
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (listed later in this document).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SE5D.



### Five-slot Ethernet charger kit SKU# CRD-NGTC5N-5SE5D

5-slot charge / Ethernet ShareCradle kit. Charges 5 devices WITHOUT rugged boots at network speeds of up to 1 Gbps.

- Device with standard battery charges from 0-90% in about 1½ hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 5 pre-installed black shims SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SE5D.

Back to Table of Contents



#### Multi-slot cradles for Devices WITHOUT Rugged Boots



#### Five-slot charger

#### SKU# CRDON-NGTC5N-5SC4B

Charge-only ShareCradle to charge 4 devices WITHOUT rugged boots and its 4 spare Li-ion batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Includes: 4 pre-installed black shims SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Power supply SKU# PWR-BGA12V108W0WW and DC cable SKU# CBL-DC-381A1-01. Country-specific AC line cord (<u>listed later in this</u> <u>document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDON-NGTC5-5SC4B.



### Five-slot charger kit SKU# CRD-NGTC5N-5SC4B

Charge-only ShareCradle kit to charge 4 devices WITHOUT rugged boots and its 4 spare Li-ion batteries.

- Device with standard battery charges from 0-90% in about 11/2 hours.
- Includes: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU# CBL-DC-381A1-01, and 4 pre-installed black shims SKU# SHIM-CRD-TC5-BLK.
- Sold separately: Country-specific AC line cord (<u>listed later in this document</u>).
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRD-NGTC5-5SC4B.

#### NOTE:

- All TC53/TC58/TC53e/TC58e/TC53e-RFID 5-slot cradles can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01
- Spare cradle cups are available as service spare parts.



#### Cradle Cups for Devices WITHOUT Rugged Boots



### Charge-only device cradle cup replacement kit SKU# CRDCUP-NGTC5NB-01

One charge-only device cradle cup replacement kit for devices WITH rugged boots.

- Can be used to replace a TC5x series device cup on ShareCradle when upgrading to TC53 / TC58; TC53e / TC58e / TC53e-RFID.
- Includes: A pre-installed black shim SKU# SHIM-CRD-TC5-BLK.
- Also available as a 5-pack 5 device cradle SKU# CRDCUP-NGTC5NB-05.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDCUP-NGTC5-01 and CRDCUP-NGTC5-05.



### Charge and communication device cradle cup replacement kit SKU# CRDCUP-NGTC5ENB-01

One charge and USB/Ethernet connection device cradle cup replacement kit for devices WITH rugged boots.

- Can be used to replace a TC5x series device cup on ShareCradle when upgrading to TC53 / TC58; TC53e / TC58e / TC53e-RFID.
- Includes: A pre-installed black shim SKU# SHIM-CRD-TC5-BLK.
- Also available as a 5-pack 5 device cradle cups— SKU# CRDCUP-NGTC5ENB-05.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces CRDCUP-NGTC5ETH-01 and CRDCUP-NGTC5ETH-05.



### Device cradle cup inserts / shims replacement SKU# SHIM-CRD-TC5-BLK

One replacement black insert / shims

- One black shim for devices WITHOUT rugged boots.
- To align with our ESG initiative aimed at reducing plastic waste, this product replaces SHIM-CRD-NGTC5.



#### **USB** to Ethernet Module



### USB to Ethernet module SKU# MOD-MT2-EU1-01

Connects single-slot charge/USB charger to a local area network via Ethernet over USB.

- 10 / 100 / 1000 Mbps speed with LEDs on module to indicate connectivity and speed.
- Mechanical switch to choose micro-USB port or RJ45 Ethernet.



### USB to Ethernet module kit SKU# KT-TC51-ETH1-01


Connects single-slot charge / USB charger to a local area network via Ethernet over USB.

- 10 / 100 / 1000 Mbps speed with LEDs on module to indicate connectivity and speed.
- Mechanical switch to choose micro-USB port or RJ45 Ethernet.
- Includes: USB-Ethernet Module SKU# MOD-MT2-EU1-01 and support bracket SKU# BRKT-TC51-ENET1-01.



#### Zebra's Guardian Cabinet Portfolio

Optimize enterprise mobile device storage and management



#### **Guardian Cabinets\***

Easily secure, store, charge and handle checkout for Zebra mobile devices.

- Five cabinet sizes to accommodate between 20 and 100 devices
- Enhanced security options
- All-inclusive design includes built-in power supply
- Open leaf design for passive cooling through natural air flow



#### **Cradle Locks**

Easily add a layer of physical security in Guardian Cabinets and racks with Zebra's cradle locks. Available for Zebra's HC2x, HC5x TC2x, TC5x and TC7x mobile computers, these mechanical locks physically prevent the removal of devices by any unauthorized personnel, increasing device security and reducing the number of lost or stolen devices.

- Mechanical locking for security and accountability
- Compatible with Zebra's Guardian Racks and Cabinets.
- Battery charge status



#### **Open Racks**

Traditional open racks offer a durable industrial design

- A choice of single- or double-sided rack to meet capacity needs
- A choice of wheels to easily move the racks or feet to create stationary racks
- Offers integrated security options including cradle locks with PIN access

Refer to <u>Zebra Solutions Pathway</u> for detailed product information, product SKUs and pricing.

<sup>\*</sup>Guardian Cabinets are not be available in all regions.



#### Mounting options for chargers



#### Rack mounting for space optimization

Optimize available space by mounting any set of five-slot chargers for TC5X on a standard, 19-inch server rack.

- Ideal for customers that have several devices per location.
- Compatible with all five-slot chargers for TC5X.



#### Mounting bracket SKU# BRKT-SCRD-SMRK-01

Use five-slot ShareCradle mounting bracket to attach fiveslot TC5X cradles to the wall or mount on a 19-inch server rack.

- Offers cable routing slots and removable tray that stores / conceals power supply.
- Adjustable orientations:
  - 25° angle for high-density (five-slot chargers).
  - Horizontal (single-slot or four-slot spare Li-ion charger).

#### Spare Li-ion batteries



### Bluetooth battery with PowerPrecision Plus SKU# BTRY-NGTC5TC7-44MABLE-01

Standard capacity 4,680 mAh battery with PowerPrecision Plus and BLE beacon.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- BLE beacon allows device with this battery to be located even if powered off using <u>Zebra Device Tracker</u>.
- Sold separately: Zebra Device Tracker licenses for either 1-year SKU# SW-BLE-DT-SP-1YR or 3-years SKU# SW-BLE-DT-SP-3YR.



### Also available: standard battery with PowerPrecision Plus, but without Device Tracker as SKU# BTRY-NGTC5TC7-44MA-01

- Same robust housing as the version with BLE beacon for optimal performance and durability.
- Same advanced battery state of health features as BLE battery.



#### Spare Li-ion batteries



### Extended capacity battery with PowerPrecision Plus SKU# BTRY-NGTC5TC7-66MA-01

Extended capacity 7,000 mAh battery with PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



### Wireless charging battery with PowerPrecision Plus

SKU# BTRY-NGTC5TC7-44MAWC-01

TC58 Standard capacity 4,680 mAh battery with Wireless charging and PowerPrecision Plus.

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
- Works great with TC58 wireless charging vehicle cradle SKU# CRD-TC58-WCVC-01 (listed later in this document).

| Compatibility (wireless charge battery) |                        |
|---|------------------------|
| TC53/TC53e<br>TC53e-RFID                | No                     |
| TC58e                                   | Yes (all SKUs)         |
| TC58                                    | Yes (select SKUs only) |



### Standard battery with PowerPrecision Plus and Payment Support SKU# BTRY-NGTC5TC7-PYMT

Standard capacity 4,680 mAh battery with PowerPrecision Plus and Payment support.

- Battery includes slot for integration with PD20 payment device.
- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



#### Spare battery charger



#### Battery charger

#### SKU# SAC-NGTC5TC7-4SCHG

Spare battery charger to charge any four spare Li-ion batteries.


- Standard capacity 4,680 mAh batteries charge from 0–90% in about 4 hours.
- Sold separately: Power Supply SKU# PWR-BGA12V50W0WW, DC Cable SKU# CBL-DC-388A1-01 and Country-specific AC Line cord (<u>listed later in this document</u>).



#### Battery charger kit

#### SKU# SAC-NGTC5TC7-4SCHG-01

Spare battery charger to charge any four spare Li-ion batteries.





Sold separately: Country-specific AC Line cord (<u>listed later in this</u> <u>document</u>).



### Four-slot battery charger conversion SKU# BTRCUP-NGTC5TC7-01

One replacement four-slot battery charger

• Converts legacy TC5x four-slot battery charger or a multi-slot ShareCradle with spare battery Charger



#### Power supply, cables, and adapters

#### Power supply and cable matrix

| SKU#  | Description  | Note  |  |
|---|--|---|--|
| PWR-BGA12V108W0WW   | Level VI AC / DC power supply brick.<br>AC Input: 100–240V, 2.8A. DC Output: 12V, 9A, 108W.  | Included in: • CRD-NGTC5-5SC5D  |  |
| CBL-DC-381A1-01   | DC line cord for running multi-slot cradles from a single Level VI power supply.   | <ul><li>CRD-NGTC5-5SE5D</li><li>CRD-NGTC5-5SC4B</li></ul>   |  |
| PWR-BGA12V50W0WW  | Level VI AC / DC power supply brick.<br>AC Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W.  | Included in: • CRD-NGTC5-2SC1B  |  |
| CBL-DC-388A1-01   | DC line cord for running single-slot cradles or battery chargers from a single Level VI power supply.  | <ul> <li>CRD-NGTC5-2SE1B</li> <li>Sold separately. Use for<br/>SAC-NGTC5TC7-4SCHG.</li> </ul>   |  |
| CBL-TC5X-USBC2A-01  USB-A to USB-C communications and charging cable, 1m long  CBL-TC2Y-USBC90A-01  USB-A to USB-C cable with 90° bend in USB-C adapter |  | <ul> <li>Sold separately. Use to:</li> <li>Directly charge TC53 / TC58; TC53e / TC58e / TC53e-RFID using a wall wart</li> <li>Connect TC53 / TC58; TC53e / TC58e / TC53e-RFID to a computer (developer tools)</li> <li>Charge TC53 / TC58; TC53e / TC58e / TC53e / TC58e / TC53e-RFID in a vehicle (can be used with cigarette light adapter SKU# CHG-AUTO-USB1-01, if needed)</li> </ul> |  |
| 25-124330-01R   | Micro USB active-sync cable. Allows for active-sync connectivity between the mobile computer single- or two-slot cradle and a host device.   | Sold separately. Required for use with SKU# CRD-NGTC5-2SE1B if syncing with a computer is desired while TC53 / TC58; TC53e / TC58e / TC53e-RFID is in the charger.  |  |
| CBL-DC-523A1-01   | DC Y-line cord for running two spare battery chargers to a single Level VI power supply SKU# PWR-BGA12V108W0WW.  | Sold separately. Use to: Consolidate power supplies for multiple spare battery chargers proximally placed to each other.  |  |
| PWR-WUA5V12W0XX   | USB type A power supply adapter (wall wart). Replace 'XX' in SKU as follows to get the right plug style based on region:  US (United States) • GB (United Kingdom) • EU (European Union) AU (Australia) • CN (China) • IN (India) • KR (Korea) • BR (Brazil) | Sold separately. Use with a communications & charge cable to directly charge TC53 / TC58; TC53e / TC58e / TC53e-RFID device drawing power from a wall socket.   |  |

NOTE: Adapters and cables related to vehicle charging are listed later in this document.



#### Power supply, cables, and adapters

#### Power supply and cable matrix

| SKU#               | Description  | Note  |
|--------------------|--|---|
| KIT-PWR-12V50W     | Power supply kit including Power Supply SKU# PWR-BGA12V50W0WW and DC line cord SKU# CBL-DC-388A1-01.   | <b>Sold Separately:</b> Country-specific AC line cord.      |
| CBL-DC-382A1-01    | DC line cord for running five-slot cradles when using Level VI Efficiency power supply SKU# PWR-BGA12V108W0WW. Includes black extension tab for releasing the cable. |   |
| CHG-AUTO-CLA1-01   | Cigarette lighter auto charger for vehicle cradle SKU# CRD-TC58-WCVC-01.   | <b>Sold separately.</b> Required                            |
| CHG-AUTO-HWIRE1-01 | Hard-wired auto charger cable for USB I / O Hub in vehicle cradle SKU# CRD-TC58-WCVC-01.   | for use with SKU# CRD-<br>TC58-WCVC-01 to charge<br>device. |



#### Power supply, cables, and adapters

#### Country-specific AC line cords: grounded, 3-prong

| SKU#          | Country / region   | Note  |
|---------------|--|---|
| 23844-00-00R  | North America (United States, Canada, Mexico)  | 7.5 feet long Commonly used with chargers mounted in server racks |
| 50-16000-678R | North America (United States, Canada, Mexico)  | 3 feet long   |
| 50-16000-221R | North America (United States, Canada, Mexico)  | 6 feet long   |
| 50-16000-727R | Brazil   | 1.8 meters (6 feet) long  |
| 50-16000-680R | Argentina  | 1.8 meters (6 feet) long  |
| 50-16000-217R | American Samoa, Australia, New Guinea  | 1.8 meters (6 feet) long  |
| 50-16000-218R | Japan  | 1.8 meters (6 feet) long  |
| 50-16000-219R | Antigua, Bermuda, Burma, Channel Islands, Hor<br>Kong, Iraq, Ireland, Malaysia, North Ireland,<br>Scotland, Singapore, United Kingdom, Wales | ng 1.8 meters (6 feet) long                                       |
| 50-16000-257R | China  | 1.8 meters (6 feet) long  |
| 50-16000-220R | Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran,<br>Korea, Russia, Vietnam  | 1.8 meters (6 feet) long  |
| 50-16000-671R | Italy  | 1.8 meters (6 feet) long  |
| 50-16000-669R | India, S. Africa, Africa   | 1.8 meters (6 feet) long  |



#### Power supply, cables, and adapters

#### Country-specific AC line cords: ungrounded, 2-prong

| SKU#          | Country / region  | Note                     |   |
|---------------|---|--------------------------|---|
| 50-16000-182R | United States   | Type A NEMA 1-15<br>plug |   |
| 50-16000-255R | Europe, Abu Dhabi, Bolivia, Dubai, Egypt,<br>Iran, Korea, Russia, Vietnam.  | Type C CEE7/16 plug      |   |
| 50-16000-670R | Bermuda, England, Hong Kong, Iraq,<br>Ireland, Malaysia, North Ireland, Scotland,<br>Singapore, United Kingdom, Wales |                          | 0 |





#### Vehicle chargers and accessories



### Wireless charger for vehicles SKU# CRD-TC58-WCVC-01

TC58 Wireless charger for vehicles.

- Compatible exclusively with TC58e devices equipped with a wireless charging battery and the premium TC58 model.
   Can be mounted using four AMPS-pattern holes.
- Includes a holder for stylus that can be installed either to the left or right of device in cradle. (Can also be removed if not needed.)
- Requires: Rugged Boot SKU# SG-NGTC5EX01-1 and TC58 premium device with wireless battery SKU# BTRY-NGTC5TC7-44MAWC-01. All sold separately.
- Required to charge: Cigarette lighter adapter auto charge cable SKU# CHG-AUTO-CLA1-01 OR hard-wired auto charge cable SKU# CHG-AUTO-HWIRE1-01.
- For mounting options: see <u>Vehicle Holders and Mounts</u> listed later in this document.

| Compatibility (wireless charge  |
|---------------------------------|
| cradle, when used with wireless |
| charge battery)                 |

| TC53/TC53e<br>TC53e-RFID | No                     |
|--------------------------|------------------------|
| TC58e                    | Yes (all SKUs)         |
| TC58                     | Yes (select SKUs only) |



### Cigarette lighter adapter plug SKU# CHG-AUTO-USB1-01

USB cigarette lighter adapter plug.

- Used with USB C Cable SKU# CBL-TC5X-USBC2A-01 (sold separately) to provide in-vehicle charging.
- Includes two USB-A ports providing higher current (5V, 2.5A) for faster charging.

#### NOTE

For mounting options and non-powered vehicle holders, please see section titled, "Vehicle Holders and Mounts", in this document.

For charging cables that can be used with vehicle holders, please see section titled, "Power Supply, Cables, and Adapters", in this document.



#### Vehicle holders and mounts



#### Vehicle holder SKU# CRD-TC5NG-NCCD-01

Non-powered vehicle holder.

- Holds device in vehicle installations.
- Spring tension on holder and does not support Pistol Grip Handle.
- Provides access to USB-C port on bottom of device allowing device to be charged.
- Requires device with rugged boot SKU# SG-NGTC5EXO1-01.
- Available for mounting using SKU# RAM-B-166U.



### Vehicle mounting hardware SKU# RAM-B-166U

Vehicle cradle windshield suction cup mount.

- RAM twist lock suction cup with double socket arm and diamond base adapter.
- Overall length: 6.75".
- Attaches to back of vehicle cradles.



### Vehicle mounting hardware SKU# RAM-B-238U

Vehicle cradle RAM mount ball.

- RAM 2.43" x 1.31" diamond ball base with 1" ball.
- Attaches to back of vehicle cradles.



#### Vehicle mounting hardware

#### SKU# 3PTY-PCLIP-241478

ProClip forklift / vehicle cradle clamp mount – for square frame mounting.

- Attaches to square bars of vehicles / forklifts.
- Clamp is 5.125" x 3.75" and can accommodate bars of varying thicknesses.



#### Headsets

#### Close gaps, Open possibilities with Workcloud Sync

Usher in a new era of transformation—one led by your frontline and powered by Zebra Workcloud Sync. One where communication and information flows freely and gaps between teams, workflows and data are closed.

With Workcloud Sync, hindered workers become effective problem solvers, contributing their best. Critical workflows are streamlined in one place, on one device, equipping workers with the information they need, right at their fingertips.

Only Zebra offers the most complete lineup of software and rugged hardware with the scalability, support and service needed to make the greatest impact where it counts—on the frontline.

Learn more about you can elevate your frontline workers with Zebra Workcloud Sync.



### Wired headsets for Workcloud Sync SKU# HDST-USBC-PTT1-01

PTT headset with USB-C connector; one-piece solution.

- For Push-To-Talk (PTT) applications with volume up / volume down / PTT buttons. Compatible with PTT Express / PTT Pro.
- Rotating earpiece allows for right or left ear configuration. Mono headset with microphone.
- Includes clip for attaching PTT button to clothing.

| Con                          | npatibility |
|------------------------------|-------------|
| TC53 / TC53e<br>/ TC53e-RFID | Yes         |
| TC58 / TC58e                 | Yes         |



### Wired headsets for Workcloud Sync SKU# HDST-35MM-PTT1-02

PTT and VoIP headset with 3.5mm standard jack.

- For Push-To-Talk (PTT) and VoIP telephony. Compatible with PTT Express / PTT Pro.
- Rotating earpiece allows for right or left ear configuration.
   Mono headset with microphone.
- Includes clip for attaching PTT button to clothing.
- Improved design vs. HDST-35MM-PTT1-01 which now has higher resistance to cleaning and sanitizing products.

| Con                   | npatibility |
|-----------------------|-------------|
| TC53                  | Yes         |
| TC53e /<br>TC53e-RFID | No          |
| TC58 / TC58e          | No          |



### Wired headsets for Workcloud Sync SKU# HDST-35MM-PTVP-02

PTT and VoIP headset with 3.5mm locking jack.

- For Push-To-Talk (PTT) and VoIP telephony. Compatible with PTT Express / PTT Pro.
- Built-in cord wrap with rotating earpiece allows for right or left ear configuration. Mono headset with microphone.
- Includes clip for attaching PTT button to clothing.
- Improved design vs. HDST-35MM-PTVP-01, which now has higher resistance to cleaning and sanitizing products.
- Sold separately: Requires 3.5mm keyed / collared female to 3.5mm male headset adapter cable SKU# CBL-TC51-HDST35-01.

| r | Co                    | mpatibility |
|---|-----------------------|-------------|
|   | TC53                  | Yes         |
|   | TC53e /<br>TC53e-RFID | No          |
|   | TC58 / TC58e          | No          |



Compatibility

Yes

No

No

**TC53** 

TC53e /

TC53e-RFID

TC58 / TC58e

#### Headsets

## Rugged Bluetooth and corded HD voice headsets for the most demanding industrial environments

When it comes to enabling speech-driven applications and voice communications in warehouses, manufacturing plants and outdoor yards, you need a headset that is specially designed for the job. The HS3100 Bluetooth and HS2100 corded headsets are loaded with features that offer everything you need in an industrial headset.

Learn more about how these headsets deliver a superior voice experience.



#### Wired headsets for voice-directed picking

#### HS2100 rugged wired headset

Corded HD voice headset.

- Dustproof, spray proof, and waterproof.
- Noise cancellation for a superior voice experience in the noisiest environments.
- Swiveling boom mutes microphone allowing user to prevent voice pick applications from recognizing nonvoice pick conversations.
- Feather-light for extraordinary comfort.

| SKU# Description |   |
|------------------|---|
| HS2100-OTH       | HS2100 Rugged Wired Headset Over-The-Head Headband includes HS2100 Boom<br>Module and HSX100 OTH Headband Module                    |
| HS2100-BTN-L     | HS2100 Rugged Wired Headset (Behind-the-neck headband left)   |
| HS2100-OTH-SB    | HS2100 Rugged Wired Headset (Over-the-head headband) includes HS2100 Shortened Boom Module and HSX100 OTH headband module           |
| HS2100-BTN-LSB   | HS2100 Rugged Wired Headset (Behind-the-neck headband left) includes HS2100<br>Shortened Boom Module and HSX100 BTN headband module |



#### Wireless headsets for voice-directed picking

#### HS3100 rugged Bluetooth headset

Bluetooth headset for voice-directed picking applications.

- Noise cancellation tuned for Voice-Directed Picking applications.
- Swap batteries on the fly without losing the Bluetooth connection.
- Split-second tap-to-pair simplicity using NFC. 15 hours of battery power.

| SKU#  | Description   |  |
|---|---|--|
| HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS310 Module and HSX100 OTH Headband Module   |   |  |
| HS3100-BTN-L  | HS3100 Rugged Bluetooth Headset (Behind-the-neck headband left)                 |  |
| HS3100-OTH-SB  HS3100 Rugged Bluetooth Headset (Over-the-head headband) includes HS3100 Shortened Boom Module and HSX100 OTH headband module        |   |  |
| HS3100-BTN-LSB  HS3100 Rugged Bluetooth Headset (Behind-the-neck headband left) includes HS31  Shortened Boom Module and HSX100 BTN headband module |   |  |
| HS3100-SBOOM-01   | HS3100 Shortened Boom Module (includes microphone boom, battery and windscreen) |  |



#### Wrist mounts and comfort pad





#### Arm / wrist mount with standard length strap

#### SKU# SG-NGTC5-WMADP1-01

Wrist mount with standard strap.

- Swivel design allows device to be viewed in portrait or landscape mode enabling hands-free functionality.
- Velcro-free design uses non-absorbent materials that can be wiped down.
- Strap length can be adjusted between 128 to 191 mm (approx. 5.0 to 7.5").
- Includes carrier, comfort pad SKU# SG-NGWT-CMPD-01 and small / medium sized wrist strap SKU# SG-NGWT-WSTPST-01.
- Requires rugged boot SKU# SG-NGTC5EXO1-01 installed on device.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Arm / wrist mount with extended length strap

#### SKU# SG-NGTC5-WMADP1-02

Wrist mount with extended strap.

- Includes: Carrier, Comfort pad SKU# SG-NGWT-CMPD-01, medium / large size wrist strap SKU# SG-NGWT-WSTPLN-01.
- Strap length can be adjusted between 164 to 265 mm (approx. 6.5 to 10.5").
- Requires rugged boot SKU# SG-NGTC5EXO1-01 installed on device.



### Replacement comfort pad for wrist mount SKU# SG-NGWT-CMPD-02

Replacement comfort pad for wrist mount.

- Soft rubber, easily removable, and hygienic.
- Improved design vs. SKU# SG-NGWT-CMPD-01, which now includes ridges in the top surface that assists with alignment during installation and reduces the occurrence of slippage, especially in the presence of sweat.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Wrist straps and arm sleeve



#### Standard replacement wrist strap SKU# SG-NGWT-WSTPST-01

Replacement wrist strap – standard size.

- White dial and accent color on strap identify size as standard (small / medium).
- Strap length can be adjusted between 128 to 191 mm (approx. 5.0 to 7.5").

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



### Extended size replacement wrist strap SKU# SG-NGWT-WSTPLN-01

Replacement wrist strap – extended size.

- Black dial and accent color on strap identify size as extended (medium / large).
- Strap length can be adjusted between 164 to 265 mm (approx. 6.5 to 10.5").

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



### Extra-large replacement wrist strap SKU# SG-NGWT-WSTPXL-01

Replacement wrist strap – extra-large size.

- Blue dial and accent color on strap identify size as extra-large.
- Strap length can be adjusted between 218 to 375 mm (approx. 8.5 to 14.75").



#### Arm sleeve

#### SKU# SG-WT4027050-01R

Arm sleeve – pack of 5.

- Worn under wrist mount strap if worker is in short-sleeved shirt and wants:
  - Extra sweat wicking/ personal layer
  - Extra comfort
  - Extra slip-resistance
- Material will not snag. One size fits all.
- Washable in mild detergent. Should be air dried.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Hand strap, stylus and tether



#### Hand strap

#### SKU# SG-NGTC5TC7-HDSTP-01

Hand strap

- Allows device to be easily held in palm of hand.
- Attaches directly to device, even with rugged boot installed.
- Includes loop for holding optional stylus.
- Sold separately: Rugged boot SKU# SG-NGTC5EXO1-01.
- Also available as a 3-pack 3 hand straps— SKU# SG-NGTC5TC7-HDSTP-03.
- Also available as a 50-pack 3 hand straps— SKU# SG-NGTC5TC7-HDSTP-50.
- Also available as a 100-pack 3 hand straps— SKU# SG-NGTC5TC7-HDSTP-100.

#### **Stylus**

#### SKU# SG-STYLUS-TCX-MTL-03

Fiber tipped stylus – pack of 3.

- Heavy-duty and made from stainless steel / brass. No plastic parts real pen feel.
   Can be used in rain.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. 5" length.
- Big improvement over rubber tipped or plastic tipped stylus.
- Compatible with all capacitive touch screen devices.
- Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### SKU# SG-TC5NGTC7NG-TETHR-03

Stylus tether.

- Can be attached to device tower bar.
- When hand strap is used, tether should attach to hand strap SKU# SG-NGTC5TC7-HDSTP-01 directly (not to terminal towel bar).
- String type tether prevents loss of stylus.
- NOTE: Other Zebra coiled tethers are not recommended for use with TC53 / TC58; TC53e / TC58e / TC53e-RFID as they may interfere with other accessories.





<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Electronic trigger handle and accessories




#### Electronic trigger handle

#### SKU# TRG-NGTC5-ELEC-01

Pistol-grip trigger handle.

- Uses electrical trigger via contacts on back side of TC53 / TC58;
   TC53e / TC58e / TC53e-RFID.
- Trigger handle accessory offers customers the option of using the product in a gun form factor, ideal for scan-intensive situations.
- Requires rugged boot SKU# SG-NGTC5EXO1-01 and device for attachment.
- Does not block access to rear facing camera and flash allowing camera to be used while using the trigger handle.
- Compatible with both standard and extended capacity batteries.
- Sold separately: Optional wrist strap SKU# SG-PD40-WLD1-01.



#### Trigger handle wrist strap

#### SKU# SG-PD40-WLD1-01

Looping wrist strap for trigger handle.

Attaches to bottom of pistol-grip trigger handle.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Cables and adapters



### Cradle to USB cable SKU# 25-124330-01R

Single slot cradle to PC / host USB cable.

- Used with single-slot cradle.
- Micro-USB connection on cradle end.
- The cable is approximately 48" long.



### Adapter cable SKU# CBL-TC51-HDST35-01

3.5mm collared female to 3.5mm male headset adapter cable.

- Provides a collared/keyed 3.5mm barrel jack connector.
- Required for use with some headsets (i.e., HS2100) that use a locking keyed connector on the headset jack.
- Cable is approximately 6" long.
- Includes retention / anti-rotation lock

| Compatibility         |     |  |
|-----------------------|-----|--|
| TC53                  | Yes |  |
| TC53e /<br>TC53e-RFID | No  |  |
| TC58 / TC58e          | No  |  |



#### Adapter cable

#### SKU# CBL-HS2100-3MS1-01

HS2100 headset standard cable – 3.5mm jack.

- 3.5mm barrel jack connector with cable length 43" (1.1m)
- For use with TC5X, TC7X, TC8000, or other devices using a 3.5mm barrel jack audio connector. Requires SKU# CBL-TC51-HDST35-01.
- Rugged cable with rugged connectors that are keyed/collared for a locking failsafe connection.
- Includes one clothing clip. Additional clips can be purchased separately.

| Compatibility         |     |  |
|-----------------------|-----|--|
| TC53                  | Yes |  |
| TC53e /<br>TC53e-RFID | No  |  |
| TC58 / TC58e          | No  |  |



#### USB-C cable SKU# CBL-TC2X-USBC-01

USB-A to USB-C Cable.

- Attaches to USB-C port on bottom of device.
- The cable includes an additional ferrite bead.
- The cable is approximately 5 feet or 1.5 meters long.



#### Snap-On Tire Tread Reader



#### Snap-on Tire Tread Depth Reader

#### SKU# TRD-TC5X-SNP1-01

Snap-on Tire Tread Depth Reader.

- Used in auto and tire servicing operations to measure tread depth in less than five seconds per tire with a simple swipe.
- Real-time connectivity allows seamless transfer of data into your management system for immediate analysis.
- May require additional drivers to be installed on the device.
- Compatible with Standard and Extended capacity batteries.
- Requires rugged boot SKU# SG-NGTC5EXO1-01 and a device for attachment to the boot's mounts.





| Compatibility         |              |  |
|-----------------------|--------------|--|
| TC53                  | Submit a CPR |  |
| TC53e /<br>TC53e-RFID | Submit a CPR |  |
| TC58                  | Submit a CPR |  |
| TC58e                 | Yes          |  |



#### Soft holsters and rugged boots



#### Soft holster

#### SKU# SG-NGTC5TC7-HLSTR-01

Soft holster.

- Vertical orientation with open bucket design to accommodate TC53 / TC58; TC53e / TC58e / TC53e-RFID with optional rugged boot, pistol-grip trigger handle, and / or hand strap.
- Strap on rear of holster allows adjustment for use with the accessory options mentioned above.
- Includes loop for storage of optional stylus. Nonrotating for maximum durability.
- Holster is leather material and includes cut-out for speaker output.
- Also compatible with trigger handle SKU# TRG-NGTC5-ELEC-01 and hand strap SKU# SG-NGTC5TC7-HDSTP-01.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Rugged boot

#### SKU# SG-NGTC5EXO1-01

Rugged boot.

- Boot increases drop spec of device of 6 feet to concrete.
- Two-piece design provides for an easier installation and snaps together.



#### Rugged boots

Rugged boot can be customized to reflect a company's brand identity or corporate design language.

- Available for consideration when a custom product request is submitted by your Zebra sales representative.
- Lead time and cost depend on volume and complexity of color, material, and finish.
- One / two solid colors work best for customization. Not all patterns are achievable.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.



#### Screen protectors



#### Screen protectors

SKU# SG-NGTC5-SCRNP-01

Screen protector

- Tempered glass.
- Includes alcohol wipes, cleaning cloth, and instructions needed for screen protector installation.
- Also available as a 3-pack 3 screen protectors SKU# SG-NGTC5-SCRNP-03.
- Also available as 450-pack 450 screen protectors SKU# SG-NGTC5-SCRNP-450.

<sup>\*</sup> Please note this accessory is a consumable and may require replacement during the device's lifespan.

#### **Workstation Connect Cradle**



#### TC53 / TC58; TC53e / TC58e / TC53e-RFID Connect Cradle


Introducing the **Connect Cradles** (Workstation and Point of Sale) for TC53 / TC58; TC53e / TC58e / TC53e-RFID mobile computers. These accessories allow for the TC53 / TC58; TC53e / TC58e / TC53e-RFID mobile computer to connect to multiple purpose-built peripherals and enable Zebra Workstation Connect on an external monitor. The Connect Cradle offers connections for standard workstation setups (monitor, keyboard, mouse) while the point-of-sale configuration provides three additional powered USB ports for setups utilizing POS-specific peripherals such as a payment terminal, receipt printer, or scanner.



### Connect Cradles SKU# CRD-NTC5X-1SNWS-01 | SKU# CRD-NTC5X-1SNHP-01

Workstation | Point of Sale

- Workstation: TC53 / TC58; TC53e / TC58e / TC53e-RFID Connect Cradle, allows to connect a mobile computer to an external monitor and multiple peripherals. Includes HDMI, Ethernet and USB-A (x4) ports.
- Point of Sale: TC53 / TC58; TC53e / TC58e / TC53e-RFID Connect Cradle, allows to connect a mobile computer to an external monitor and multiple peripherals. Includes HDMI, Ethernet, USB-A (x3), 24V Powered USB (x1), 12V Powered USB (x2) ports.



#### Power Supply & DC Line Cord

#### SKU# PWR-BGA12V50W0WW | SKU# CBL-DC-388A2-01

Power Supply | DC Line Cord

- Power Supply PWR-BGA12V50W0WW for Connect Cradle: 100-240 VAC, 12VDC, 4.16A.
- DC Line Cord CBL-DC-388A2-01 for above power supply: 12 VDC, 4.16A 1.8m length.



### Power Supply for Point-of-Sale Cradle SKU# PWR-BGA24V150W1WW


Power Supply for POS Cradle

- Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.0A. DC Output: 24V, 6.25A, 150W.
- Requires: Country Specific AC grounded line cord.



# Third Party Accessories for TC53 / TC58 / TC53e / TC58e / TC53e-RFID devices

**Note:** Products sold that do not bear the Zebra brand name are serviced and supported exclusively by their manufacturers in accordance with terms and conditions packaged with the products. Zebra's Limited Warranty does not apply to products that are not Zebra branded, even if packaged or sold with Zebra products. Please contact the manufacturer directly for technical support and customer service.



### ZEBRA

### TC53/TC58

#### PROCLIP CRADLES PROVIDE:

- Easy one-handed docking and undocking
- Tilt-swivel gives users an optimized viewing angle
- Channeled sidewalls guide the device into the cradle and hold the device securely
- Heavy-duty construction provides protection and longevity
- Custom design to fit the device with or without the rugged boot









North America: ProClipUSA.com Europe: Brodit.com



### ZEBRA TC53/TC58



| PART #            | DESCRIPTION  |
|-------------------|--|
| 3PTY-PCLIP-713306 | Charging Cradle with Tilt-Swivel and 5.4V<br>Hard-Wired Power Supply for Zebra TC53 / TC58<br>with Rugged Boot |



| PART #            | DESCRIPTION  |
|-------------------|--|
| 3PTY-PCLIP-712306 | Charging Cradle with Tilt-Swivel and 5.4V Cigarette<br>Lighter Adapter for Zebra TC53 / TC58 with<br>Rugged Boot |




| PART #            | DESCRIPTION  |  |
|-------------------|--|--|
| 3PTY-PCLIP-241872 | Charging Cradle with Tilt-Swivel and 4 ft USB Cable for Zebra TC53 / TC58 with Rugged Boot |  |



| PART #            | DESCRIPTION  |
|-------------------|--|
| 3PTY-PCLIP-216475 | USB-C Charging Cradle with Tilt Swivel and 4' (120mm) USB-C Cable for Zebra TC53 / TC58 with Rugged Boot (Does Not Include Power Supply) |

ADDITIONAL MOUNTING OPTIONS









North America: ProClipUSA.com Europe: Brodit.com











#### **RAM® Form-Fit Docks**

#### for Zebra TC53 / TC58 Handheld Computers

Rugged accessories meet rugged devices with these RAM® Handheld PC docks for the Zebra TC53 & TC58. These form-fitting docks are available with and without power, as well as non-locking and key-locking functions. Powered dock options offer a seamless experience by utilizing the device's pogo pad docking contacts and 5.5mm DC barrel connector — simply dock the device to keep it charging. Pair with any modular RAM® Mounts components to create a custom mounting solution for your forklift, truck, pick cart and more!

| PART NUMBER           | DEVICE(S)<br>SUPPORTED                 | DESCRIPTION   |
|-----------------------|--|---|
| 3PTY-RAM-HOL-ZE17-2U  | TC53/TC58<br>(with or<br>without Boot) | Charging vehicle dock with 5.5mm barrel connector for power                   |
| 3PTY-RAM-HOL-ZE17L-2U | TC53/TC58<br>(with or<br>without Boot) | Locking and charging vehicle dock<br>with 5.5mm barrel connector for<br>power |
| CRD-TC5NG-NCCD-01     | TC53/TC58<br>(with or<br>without Boot) | Non-powered cradle  |

#### **Compatible Hardwire Chargers**

3PTY-RAMGDSCHARGEM55V7B1U GDS® 10-30V Hardwire Charger


3PTY-RAM-GDSCHARGEM55V8BU GDS® 30-64V Hardwire Charger



#### **Pogo Pin Charging**

Protect the charge port by utilizing the device's pogo pad docking contacts - simply dock the TC53/TC58 to keep the device charged.

### **Product Highlights**



#### **Stylus Holder**

Integrated snap-in stylus holder on all docks prevent lost or dangling styluses when on-the-go.




#### **Mount It**

With RAM® Compatibility™ customize your mount to your environment, or pair with these readymade forklift kits.









#### RAM® Accessories & Mounts

for Zebra TC53 / TC58 Handheld Computers



#### 3PTY-RAM-GDS-DOCK-D7U

GDS® Desktop Dock with Power Delivery - Small Tablets & Phones

